


RURA OXY-PLUS	[mm]	[mb]	[zł/mb]
PN25 SDR6	20x3,4	160	8,18
- BEZ ZDZIERANIA	25x4,2	120	11,90
	32x5,4	80	19,89
	40x6,7	60	29,91
	50x8,3	36	45,99
	63x10,5	24	72,10
	75x12,5	16	107,76
	90x15,0	12	180,71
	110x18,4	8	309,15



OXY-PLUS GRATOWNIK	[mm]	[szt.]	[zł/szt.]
	20+25 plast.	30	30,17
	32+40 plast.	15	47,24
	50+63 met.	6	162,61
	75+90 met.	2	280,20
	110 met.	2	532,13



OXY-PLUS OSTRZE DO GRATOWNIKA	[mm]	[szt.]	[zł/szt.]
	20+25	100	4,26
	32+40	100	4,35
	50+63	50	5,06
	75+90	50	7,70



OXY-PLUS NASADKA Z WKŁADKĄ CERAMICZNĄ	[mm]	[szt.]	[zł/szt.]
	20	50	22,39
	25	50	25,65
	32	25	38,41
	40	20	45,63
	50	10	153,04
	63	5	176,51
	75	4	198,30
	90	2	250,51
	110*	2	703,04
	125*	1	778,04



OXY-PLUS WKŁADKA CERAMICZNA	[mm]	[szt.]	[zł/szt.]
	20	100	0,85
	25	100	1,25
	32	100	1,93
	40	50	2,41
	50	50	5,20
	63	50	6,85
	75	10	8,64
	90	10	10,17




* bez wkładki ceramicznej


Zapytaj o cenę rury karbowanej
HI-TECH OXY-PLUS





Dzięki karbowanej powierzchni rur HI-TECH OXY-PLUS
* następuje amortyzacja siły uderzeniowej, a wytrzymałość mechaniczna jest zwiększona o 30 % w porównaniu do zwykłej rury.


* rury lepiej dopasowują się do wylewki, co wydłuża żywotność instalacji.


RURA JEDNORODNA PN20 SDR6	[mm]	[mb]	[zł/mb]
	20x3,4	160	4,12
	25x4,2	120	7,07
	32x5,4	80	11,68
	40x6,7	60	18,69
	50x8,3	36	29,72
	63x10,5	24	48,86
	75x12,5	16	72,87
	90x15,0	12	104,20
	110x18,4	8	152,78
	125x20,9	4	256,96
160x26,8	4	473,24	


RURA UV SDR7,4	[mm]	[mb]	[zł/mb]
	20x2,9	160	7,30
	25x3,5	120	11,08
	32x4,4	80	19,32


KOMPLET ZGRZEWAJĄCY	[mm]	[szt.]	[zł/szt.]
	20-40	1	768,32
			Zgrzewarka 600 W
			Stojak
			OXY-PLUS Nasadka 20;25;32
			Nożyce 20-40
		OXY-PLUS Gratownik	
		20+25;32+40	

NOŻYCE	[mm]	[szt.]	[zł/szt.]
	20-40	5	82,70
	16-75	1	349,77
	16-125	1	401,16


RURA FASER PN20 SDR7,4	[mm]	[mb]	[zł/mb]
	20x2,9	160	4,83
	25x3,5	120	8,30
	32x4,4	80	13,64
	40x5,5	60	20,34
	50x6,9	36	32,41
	63x8,6	24	53,30
	75x10,3	16	78,61
	90x12,3	12	127,19
110x15,1	8	204,57	


RURA OXY-PLUS UV SDR6	[mm]	[mb]	[zł/mb]
	20x3,4	160	8,92
	25x4,2	120	12,70
	32x5,4	80	21,34
	40x6,7	60	31,42
	50x8,3	36	62,13
	63x10,5	24	93,55


ZGRZEWAJĄCY	[mm]	[szt.]	[zł/szt.]
	20-40	1	510,11
			Zgrzewarka 600 W
			Stojak
			OXY-PLUS Nasadka 20;25


ZGRZEWAJĄCY	[mm]	[szt.]	[zł/szt.]
	40-160	1	873,72
			Zgrzewarka 2000 W
			Stojak


POMPA KONTROLNA	[szt.]	[zł/szt.]
	1	1 243,64


KOLANO 45° PN25	[mm]	[szt.]	[zł/szt.]
	20	600	0,54
	25	400	0,91
	32	200	1,93
	40	100	4,83
	50	50	7,61
	63	30	12,16
	75	20	26,22


KOLANO 90° PN25	[mm]	[szt.]	[zł/szt.]
	20	500	0,63
	25	300	0,94
	32	150	1,79
	40	75	2,78
	50	50	6,02
	63	25	11,08
	75	10	22,78
	90	6	39,35
	110	5	63,07
	125	5	89,97


KOLANO NYFLOWE 45° PN25	[mm]	[szt.]	[zł/szt.]
	20	300	1,11
	25	200	1,68


KOLANO NYFLOWE 90° PN25	[mm]	[szt.]	[zł/szt.]
	20	100	1,11
	25	75	1,93


KOLANO GW PN32	[mm-cal]	[szt.]	[zł/szt.]
	20-1/2"	300	5,09
	20-3/4"	250	7,44
	25-1/2"	250	6,08
	25-3/4"	200	8,04
	32-3/4"	150	10,23
	32-1"	125	13,52



KOLANO GZ PN32	[mm-cal]	[szt.]	[zł/szt.]
	20-1/2"	250	6,76
	20-3/4"	200	9,40
	25-1/2"	200	8,30
	25-3/4"	200	9,40
	32-3/4"	150	12,16
	32-1"	125	15,34


KOLANO NAŚCIENNE GW PN32	[mm-cal]	[szt.]	[zł/szt.]
	20-1/2"	250	5,88
	25-1/2"	160	6,19


KOMPLET NAŚCIENNY POD BATERIE GW	[mm-cal]	[szt.]	[zł/szt.]
	20-1/2"	40	13,27
	25-1/2"	40	13,69



MUFA PN25	[mm]	[szt.]	[zł/szt.]
	20	800	0,43
	25	500	0,63
	32	250	1,16
	40	150	1,73
	50	75	3,30
	63	50	7,24
	75	35	13,13
	90	25	22,10
	110	10	33,38
	125	10	49,83


ŚRUBUNEK PN32	[mm]	[szt.]	[zł/szt.]
	20	80	17,27
	25	50	26,22
	32	40	32,41
	40	25	49,01
	50	20	77,33


ZŁĄCZKA GW PN32	[mm-cal]	[szt.]	[zł/szt.]
	20-1/2"	500	4,97
	20-3/4"	400	7,19
	25-1/2"	400	5,57
	25-3/4"	300	7,19
	32-1"	150	12,59
	32-1" p.k.	125	21,19
	40-1 1/4" p.k.	80	33,95
	50-1 1/2" p.k.	50	44,86
	63-2" p.k.	40	68,35
	75-2 1/2" p.k.	15	149,12
	90-3" p.k.	10	386,56
	110-4" p.k.	10	469,40
	125-5" p.k.	6	803,07


ŚRUBUNEK GW PN32	[mm-cal]	[szt.]	[zł/szt.]
	20-1/2"	100	10,54
	25-3/4"	50	15,94
	32-1"	50	20,82
	20-1"	50	22,10
	25-1"	50	22,10
	40-1 1/4"	25	36,73
	50-1 1/2"	20	63,49


MUFA REDUKCYJNA PN25	[mm]	[szt.]	[zł/szt.]
	25-20	800	0,48
	32-20	500	0,80
	32-25	400	0,85
	40-20	300	1,68
	40-25	350	1,79
	40-32	200	1,79
	50-20	200	2,47
	50-25	200	2,61
	50-32	150	2,61
	50-40	120	2,61
	63-25	100	4,83
	63-32	100	4,97
	63-40	100	4,97
	63-50	70	5,09
	75-50	50	9,12
	75-63	50	9,40
	90-63	40	13,13
	90-75	40	15,17
	110-90	20	25,54
	125-110	15	50,43


ZŁĄCZKA GZ PN32	[mm-cal]	[szt.]	[zł/szt.]
	20-1/2"	400	6,62
	20-3/4"	300	9,12
	25-1/2"	300	7,19
	25-3/4"	250	9,23
	32-1"	150	14,57
	32-1" p.k.	100	26,22
	40-1 1/4" p.k.	60	51,11
	50-1 1/2" p.k.	40	61,45
	63-2" p.k.	30	93,86
	75-2 1/2" p.k.	12	158,75
	90-3" p.k.	10	400,43
	110-4" p.k.	6	486,42
	125-5" p.k.	4	951,14


ŚRUBUNEK GZ PN32	[mm-cal]	[szt.]	[zł/szt.]
	20-1/2"	100	12,13
	25-3/4"	50	17,84
	32-1"	50	23,78
	20-1"	50	25,40
	25-1"	50	25,40
	40-1 1/4"	25	43,24
	50-1 1/2"	20	71,36

TRÓJNIK PN25	[mm]	[szt.]	[zł/szt.]
	20	400	0,80
	25	200	1,16
	32	100	2,22
	40	60	4,29
	50	30	7,30
	63	20	17,95
	75	12	30,43
	90	8	48,58
	110	4	82,16
	125	4	112,81


TRÓJNIK REDUK. PN25	[mm]	[szt.]	[zł/szt.]
	25-20-25	200	1,31
	32-20-32	100	2,05
	32-25-32	100	2,47
	40-20-40	60	4,83
	40-25-40	60	4,83
	40-32-40	60	5,09
	50-20-50	40	9,66
	50-25-50	40	10,34
	50-32-50	50	10,77
	50-40-50	30	10,77
	63-25-63	30	18,21
	63-32-63	30	19,32
	63-40-63	20	19,72
	63-50-63	25	19,72


TRÓJNIK GW PN32	[mm-cal]	[szt.]	[zł/szt.]
	20-1/2"	300	5,51
	20-3/4"	300	7,70
	25-1/2"	200	6,62
	25-3/4"	200	8,30
	32-3/4"	100	11,76
	32-1"	100	13,81


TRÓJNIK GZ PN32	[mm-cal]	[szt.]	[zł/szt.]
	20-1/2"	250	7,19

TRÓJNIK MIJANKOWY PN25	[mm]	[szt.]	[zł/szt.]
	20	125	4,74
	25	80	6,14


NOWOŚĆ


MIJANKA PN25	[mm]	[szt.]	[zł/szt.]
	20	100	3,98
	25	75	5,82
	32	50	7,36


KOMPENSACJA PN25	[mm]	[szt.]	[zł/szt.]
	20	20	12,30
	25	15	14,57
	32	10	21,45


MIJANKA OXY-PLUS PN25	[mm]	[szt.]	[zł/szt.]
	20	100	5,65
	25	75	8,04
	32	50	12,53


NOWOŚĆ


ZAWÓR KULOWY PN32	[mm]	[szt.]	[zł/szt.]
	20	150	22,78
	25	100	27,59
	32	50	41,39
	40	40	62,90
	50	20	135,74
	63	16	257,67
	75	2	500,06
	90	2	938,24


ZAWÓR GRZYBKOWY PN32	[mm]	[szt.]	[zł/szt.]
	20	50	24,86
	25	50	26,22
	32	60	33,15


ZAWÓR PODTYNKOWY	[mm]	[szt.]	[zł/szt.]
	20	50	46,96
	25	50	47,21


ZAWÓR ZWROTNY	[mm]	[szt.]	[zł/szt.]
	20	50	20,68
	25	50	20,68


FILTR WZ	[mm]	[szt.]	[zł/szt.]
	20	175	13,07
	25	120	15,80
	32	50	21,05

ZAWÓR KULOWY EKONOMICZNY	[mm]	[szt.]	[zł/szt.]
	20	240	12,27
	25	180	15,17
	32	100	24,72


ZAWÓR KULOWY PODTYNKOWY	[mm]	[szt.]	[zł/szt.]
	20	60	48,15
	25	50	57,87
	32	35	71,51

ZAWÓR PODT. DŁUGI	[mm]	[szt.]	[zł/szt.]
	20	50	48,75
	25	50	49,01

FILTR	[mm]	[szt.]	[zł/szt.]
	20	50	17,67
	25	50	19,94

FILTR WW	[mm]	[szt.]	[zł/szt.]
	20	175	13,07
	25	120	15,80
	32	50	21,05

KOLANO Z PÓŁŚRUB. PN32	[mm-cal]	[szt.]	[zł/szt.]
	20-1/2"	250	17,67
	25-3/4"	150	19,18



ZŁĄCZKA Z PÓŁŚRUB. PN32	[mm-cal]	[szt.]	[zł/szt.]
	20-1/2"	400	15,99
	25-3/4"	250	17,95



CZWÓRNIK PN25	[mm]	[szt.]	[zł/szt.]
	20	250	2,27
	25	150	2,93
	32	90	5,09
	40	50	7,30
	50	30	20,40
	63	20	32,07



KOLANO REDUK. PN25	[mm]	[szt.]	[zł/szt.]
	25-20	200	1,93
	32-20	150	3,38



ZASLEPKA PN25	[mm]	[szt.]	[zł/szt.]
	20	1500	0,51
	25	750	0,82
	32	400	1,11
	40	250	2,93
	50	125	3,98
	63	70	7,70
	75	50	14,52



KOREK PN25	[mm]	[szt.]	[zł/szt.]
	20	2500	0,45
	25	2500	0,51



UCHWYT ZAMKNIĘTY	[mm]	[szt.]	[zł/szt.]
	20	2000	0,40
	25	2000	0,51
	32	1000	0,71
	40	750	0,88
	50	500	1,39
	63	100	3,04



UCHWYT PODWÓJNY	[mm]	[szt.]	[zł/szt.]
	20	2000	0,45
	25	1500	0,51
	32	1000	0,82



UCHWYT PODWÓJNY Z KOŁKIEM ROZPOROWYM	[mm]	[szt.]	[zł/szt.]
	20	2000	0,77
	25	1500	0,77
	32	750	0,94



ZESTAW NAPRAWCZY	[mm]	[szt.]	[zł/szt.]
	9	1	42,76

